

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	(data same buffer same controller same (block with size) same (pad\$ near3 data)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:22
L4	0	(data same buffer same controller same (block with size) same (pad\$ near3 data)) and @ad<"20030131" and ((remov\$4 or elimin\$6) with pad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:23
L5	1	(data same buffer same controller same (block with size) same (pad\$ near3 data)) and @ad<"20030131" and (((remov\$4 or elimin\$6 or discard\$4 or tak\$4 or out\$5) with pad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:26
L6	2	"6460097".pn. and @ad<"20030131" and (((remov\$4 or elimin\$6 or discard\$4 or tak\$4 or out\$5) with pad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:26
L9	0	@ad<"20030131" and (((remov\$4) near5 pad\$4) with buffer with controller with interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:28
L10	2	@ad<"20030131" and (((remov\$4) near5 pad\$4) with buffer with interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:33
L11	1	@ad<"20030131" and (((remov\$4) near5 pad\$4) with interfac\$4) and "6198876"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:33
L12	1	@ad<"20030131" and (((remov\$4) near5 pad\$4)) and "6198876"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:45

L30	2	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:21
L31	3	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same pad\$5) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:21
L32	2	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same (pad\$5 near3 data)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:21
S1	10229	(pad\$5 with buffer\$3) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:41
S2	1239	(pad\$5 with buffer\$3 with (controller or memory)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:42
S3	7	(pad\$5 with buffer\$3 with (controller or memory) with (scsi or mod4)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:46
S4	0	(pad\$5 with buffer\$3 with (controller or memory) with (scsi with mod)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:29
S5	1:13	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same pad\$5) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:21

S6	31	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same (pad\$5 near3 data)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:21
S7	2	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:31
S8	7	((buffer with control\$5) same (buffer with memory) same (proc\$6 with data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:34
S9	35	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:35
S10	2	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131" and "710"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:34
S11	1	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131" and 710/52. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:19